

Pediatric References

Development of Normal Bowel and Bladder Control in Children

1. Cossio SE. Enuresis. South Med J 2002;95(2) 2002
2. Jansson UB, Hanson M, Sillen U, et al. The voiding pattern and acquisition of bladder control from birth to age 6 years-a longitudinal study. J Urol 2005; 174: 289-3.
3. Muellner SR. Development of urinary control in children: some aspects of the cause and the treatment of primary enuresis. JAMA 1960;172:1256-1261.
4. Rushton, H. G. Wetting and functional voiding disorders. Urologic Clinics of North America, 1995; 22(1), 75-93.
5. Schmitt, BD. Toilet Training: Getting it right the first time. Contemp Pediatr 2004a;21;105- 122.
6. Schum TR, Kolb TM, McAuliffe TL, et al. Sequential acquisition of toilet training skills: a descriptive study of gender and age differences in normal children. Pediatrics 2002;109(3):E48.
7. Sillen U, Solstice E, Hellstrom AL et al. The voiding pattern of healthy pre-term neonates. J Urol 2000; 163: 278-81.
8. Sillen U. Bladder function in infants. Scand J Urol Nephrol Suppl 2004; 215: 69-74.
9. Wen J, Qingwei W, Xianguo Z. Normal voiding pattern and bladder dysfunction in infants and children. Life Science Journal 2007;Vol 4;4.

Defecation

1. Chiarelli, P. course notes CSM and verbal communication.
2. Fontana M., Bianchi C., Cataldo F., et al.: Bowel frequency in healthy children. Acta Paediatrica Scandinavica 1989; 78:682-4.
3. Laycock, J., (2008) Concepts of Neuromuscular Rehabilitation and Pelvic Floor Muscle Training. London: Springer –Verlag.
4. Palit S., Lunniss P., Scott M., The Physiology of Human Defecation. Dig Dis Sci (2012) 57:1445–1464
5. Wennergren, H. M., Oberg, B. E., & Sandstedt, P. The importance of leg support for relaxation of the pelvic floor muscles. Scandinavian Journal of Urology 1991;25, 205-213.
6. Younoszai, M. K. Stooling problems in patients with myelomeningocele. Southern Medical Journal 1992;85(7), 718-724.

Standardization of terminology of bladder function in children and adolescents

1. Austin, P., Bauer, S.B., Bower, W., et al. The standardization of terminology of lower urinary tract function in children and adolescence: update report from the standardization committee of the international children's continence society. *J Urol* (2014) 191.
2. Barroso, U., Lordêlo, P. Electrical nerve stimulation for overactive bladder in children. *Nature Reviews Urology* 8, July 2011;402-407.
3. Barroso U Jr¹, Viterbo W, Bittencourt J, Farias T, Lordêlo P. Posterior tibial nerve stimulation vs parasacral transcutaneous neuromodulation for overactive bladder in children. *J Urol*. 2013 Aug;190(2):673-7.
4. Bauer, S. Special considerations of the overactive bladder in children. *Urology* 2002; 60(Suppl.), 43-48.
5. Berry, A. *Urol Nurs*. Helping children with dysfunctional voiding. *Society of Urologic Nurses and Associates* 2005; 25(3):193-201.
6. Ellsworth, P., Caldamone, A. Pediatric voiding dysfunction: current evaluation and management. *Urol Nurs*. 2008;28(4):249-257.
7. Fontana M., Bianchi C., Cataldo F., et al.: Bowel frequency in healthy children. *Acta Paediatrica Scandinavica* 1989; 78:682-4.
8. Hinman, F. Nonneurogenic neurogenic bladder (the Hinman Syndrome)-15 years later. *J Urol* 1986;136, 769-777.
9. Lettgen, B, von Gontard, A., Olbing, H., Heiken-Loweenau, C., Gaebel, E., Schmitz, I. Urge incontinence and voiding postponement in children: Somatic and psychosocial factors. *Acta Paediatrica* 2002; 91(9):978-84. Discussion 895-6.
10. Richardson I, Palmer LS. Successful treatment for giggle incontinence with biofeedback. *J Urol*. 2009;182(4 Suppl):2062.
11. Schulman, S.L., Quinn, C.K., Plachter, N., & Kodman-Jones, C. Comprehensive management of dysfunctional voiding. *Pediatrics*, 1999;103, e31.
12. Sillén U, Arwidsson C, Doroszkiewicz M, Antonsson H, Jansson I, Ståklint M, Abrahamsson K, Sjöström S. Effects of transcutaneous neuromodulation (TENS) on overactive bladder symptoms in children: A randomized controlled trial. *J Pediatr Urol*. 2014 May 9. pii: S1477-5131(14)00137-5.
13. van Gool, J.D., Vijverberg, M.A., & de Jong T.P. Functional daytime incontinence: Clinical and urodynamic assessment. *Scandinavian Journal of Urology and Nephrology Supplement*, 1992;141, 58-69.
14. Vincent, S. A.: Postural control of urinary incontinence: the curtsey sign. *Lancet*, II: 631, 1996

Investigative Tools

1. Austin, P., Bauer, S.B., Bower, W., et al. The standardization of terminology of lower urinary tract function in children and adolescence: update report from the standardization committee of the international children's continence society. *J Urol* (2014) 191.
2. Bauer SB, Nevéus T, von Gontard A, Hoebeke P, Bower W, Jorgensen TM, Rittig S, Walle JV, Yeung CK, Djurhuus JC. Standardizing terminology in pediatric urology. *J Pediatr Urol*. 2007 Apr;3(2):163.

3. Burgers R, Levin AD, Di Lorenzo C, Dijkgraaf MG, Benninga MA. Functional defecation disorders in children: Comparing the Rome II with the Rome III Criteria. *J Pediatr*. 2012.
4. Bower WF, Chase JW, Stillman BC: Normative pelvic floor parameters assessed by transabdominal ultrasound. *J Urol* 2006; 176:337.
5. Bower WF, Wong EM, Yeung CK. Development of a validated quality of life tool specific to children with bladder dysfunction. *Neurology and Urodynamics* 2006; 25:221-227
6. [Charalampous S](#), [Printza N](#), [Hashim H](#), [Bantouraki M](#), [Rompis V](#), [Ioannidis E](#), [Papacristou F](#). Bladder wall thickness and urodynamic correlation in children with primary nocturnal enuresis. *J Pediatr Urol*. 2013 Jun;9(3):334-8.
7. Dogra PN, Ansari MS. Spinning top urethra and lower urinary tract dysfunction in a young female. *ScientificWorldJournal*. 2004 Jun 7;4 Suppl 1:108-10. PubMed PMID: 15349536.
8. Farat W, Bağli D, Capolicchio G et al: The dysfunctional voiding scoring system :
9. quantitative standardization of dysfunctional voiding symptoms in children. *J Urol* 2000;164: 1011
10. Glassberg K., Combs A., Horowitz M. Nonneurogenic voiding disorders in children and adolescents: clinical and videourodynamic findings in 4 specific conditions. *J Urol* 2010 (184) 2123-2127.
11. Hoebeke, P, Bower W, Combs A, et al. Diagnostic evaluation of children with daytime incontinence. *J Urol* 2010;183:699-703.
12. Joensson I.M., Siggaard C., Rittig S. et al.: Transabdominal ultrasound of rectum as adiaagnostic tool in childhood constipation. *J Urol*, 2008;179: 1997, 2008.
13. Kibar Y, Demir E, Irkilata C, Ors O, Gok F, Dayanc M. Effect of biofeedback treatment on spinning top urethra in children with voiding dysfunction. *Urology*. 2007 Oct;70(4):781-4; discussion 784-5. PubMed PMID: 17991555.
14. Maizels, M., & Firlit, C.F., Pediatric urodynamics: a clinical comparison of surface versus needle pelvic floor/external sphincter electromyography. *J Urol* 1979;122, 518-522.
15. Maizels, M., King, L. R., & Firlit, C. F. Urodynamic feedback: a new approach to treat vesical sphincter dyssnergia. *J Urol* 1979;122, 205-209.
16. Nejat F, Radmanesh F, Ansari S, Tajik P, Kajbafzadeh A, El Khashab M. Spina bifida occulta: is it a predictor of underlying spinal cord abnormality in patients with lower urinary tract dysfunction? *J Neurosurg Pediatrics*.2008;1(2):114-7.
17. Neveus, T., Gontard, A., Hoebeke, P. et al. The standardization of terminology or lower urinary tract function in children and adolescents: Report from the international children's continence society (ICCS). *Neurology and Urodynamics* 2007;26:90-102.
18. Van Hoeck E. Baeyens, D., Vanden Bossche, H., et al.: Early detections of psychological problems with enuresis: construction and validation of the Short Screening Instrument for Psychological Problems in Enuresis. *J Urol*, 178:2611, 2007.
19. Wenske S., Combs AJ., Van Batavia JP., Glassberg KI. Can staccato and interrupted/fractioned uroflow patterns alone correctly identify the underlying lower urinary tract condition? *J Urol* Jun 2012(187)1-7.
20. Yeung CK, Sreedhar B, Leung YF, Sit KY. [Correlation between ultrasonographic bladder measurements and urodynamic findings in children with recurrent urinary tract infection](#). *BJU Int*. 2007 Mar;99(3):651-5.

Neurogenic Bladder

1. Austin, P., Bauer, S.B., Bower, W., et al. The standardization of terminology of lower urinary tract function in children and adolescence: update report from the standardization committee of the international children's continence society. *J Urol* (2014) 191.
2. de Jong TP, Chrzan R, Klijn AJ, Dik P. Treatment of the neurogenic bladder in spina bifida. *Pediatr Nephrol*. 2008;23(6):889
3. Klarskov, P., Heely, E., Nyholdt, I., Rottensten, K., & Nordenbo, A. Biofeedback treatment of bladder dysfunction in multiple sclerosis. a randomized trial. *Scandinavian Journal of Urology and Nephrology* 1994;157, 61-65.
4. Linsenmeyer, T., Urinary incontinence following spinal cord injury- facing special challenges. *Quality Care Newsletter from the National Association for Continence*. 2004; Vol.22, No.3, 1-2.
5. Nejat F, Radmanesh F, Ansari S, Tajik P, Kajbafzadeh A, El Khashab M. Spina bifida occulta: is it a predictor of underlying spinal cord abnormality in patients with lower urinary tract dysfunction? *J Neurosurg Pediatrics*.2008;1(2):114-7.
6. Marshall DF, Boston VE Does the absence of anal reflexes guarantee a "safe bladder" in children with spina bifida? *Eur J Pediatr Surg*. 2001;11 Suppl 1:S21.
7. Olesen JD1, Kiddoo DA2, Metcalfe PD2. The association between urinary continence and quality of life in paediatric patients with spina bifida and tethered cord. *Paediatr Child Health*. 2013 Aug;18(7):e32-8.
8. Rickwood AM, Borzyskowski M, Mundy AR., (Eds.) *Investigations. In: Neuropathic bladder in childhood*, Oxford Blackwell Scientific Publication Ltd., (1990). pp 10-26.

Biofeedback

1. Bo, K., Kvarstein, B., Hagen, R., Larsen, S. Pelvic floor muscle exercise for the treatment of female stress urinary incontinence: Reliability of vaginal pressure measurements of pelvic floor muscle strength. *Neurology and Urodynamics*, 1990;9, 471-477.
2. Christmas, T. J., Noble, J. G., Watson, G. M., & Turner-Warwick, R. T. Use of biofeedback in treatment of psychogenic voiding dysfunction. *Urology* 1991;37(1), 43-45.
3. Cram J., Kasman, G. (1998) *Introduction to Surface Electromyography*. Maryland, Aspen Publishers.
4. DePaepe H., Renson C., Hoebeke P., et al: The role of pelvic- floor therapy in the treatment of lower urinary tract dysfunctions in children. *Scan J of Urol and Neph* 2002; 36: 260-7.
5. Fazeli MS, Lin Y, Nikoo N, Jaggumantri S1, Collet JP, Afshar K. Biofeedback for Non-neuropathic daytime voiding disorders in children: A systematic review and meta-analysis of randomized controlled trials. *J Urol*. 2014 Jul 26. pii: S0022-5347(14)04048-8.

6. Hoebeke, P., Walle, J. V., Theunis, M., De Paepe, H., Oosterlinck, W., & Renson, C. Outpatient pelvic-floor therapy in girls with daytime incontinence and dysfunctional voiding. *Urology* 1996; 48, 923-927.
7. Jerkins, G. R., Noe, H. N., Vaughn, W. R., & Roberts, E. Biofeedback training for children with bladder sphincter incoordination. *J Urol* 1987;138, 1113-1115.
8. Kasman, G., Cram J., Wolf L. (1998) *Clinical Applications in Surface Electromyography*. Maryland, Aspen Publishers.
9. Nelson J., Cooper C., Boyt M., et al: Improved uroflow parameters and post-void residual following biofeedback therapy in pediatric patients with dysfunctional voiding does not correspond to the outcome. *J. of Urol.* 2004; 172:1653-1656.
10. McKenna PH, Herndon CD., Connery S., Ferrer. Pelvic floor muscle retraining for pediatric voiding dysfunction using interactive computer games. *J Urol* 1999 Sep;162(3 Pt 2):1056-62; discussion 1062-3
11. Nelson JD, Cooper CS, Boyt MA, Hawtrey CE, Austin JC. Improved uroflow parameters and post-void residual following biofeedback therapy in pediatric patients with dysfunctional voiding does not correspond to outcome. *J Urol.* 2004 Oct;172(4 Pt 2):1653-6; discussion 1656.
12. Neuman P, Gill V. Pelvic Floor and Abdominal muscle interaction. EMG activity and intraabdominal pressure. *Int. Urogynecol J Pelvic Floor Dysfunction.* 2002;13(2); 125-132
13. Pappo, I., Meyer, S., Winter, S., & Nissan S. Treatment of faecal incontinence in children with spina bifida by biofeedback and behavioral modification. *Surgery in Infancy and Childhood* 1988;3(43), 6-37.
14. Schwartz MS., Andrrasik, F. (2003). *Biofeedback A Practitioners Guide* (3rd Ed.). New York, The Guilford Press.
15. Vasconcelos M, Lima E, Caiafa L, Noronha A, Cangussu R, Gomez S, Friere R, Filgueiras MT, Araujo J, Magnus G, Cunha C, Colozimo E. Voiding dysfunction in children. Pelvic –floor exercises or biofeedback therapy: a randomized controlled study. *Pediatr Nephrol* 2006;21: 1858-1864.
16. Workman D., Cassisi, J. et al. (1993) Validation of surface EMG as a measure of intravaginal and intra-abdominal activity: implications for biofeedback-assisted Kegel exercises. *Psychophysiology* 30:120-125.

Dysfunctional Voiding

1. Abidari, JM., Shortliffe, LM., Urinary incontinence in girls. *Urology Clinics of North America.* 2002; Aug;29(3):661-75.
2. Akbal C, Genc Y, Burgu B et al: Dysfunctional voiding and incontinence scoring system: quantitative evaluation of incontinence symptoms in the pediatric population. *J Urol* 2005; 173: 969
3. Allen, T. D. Commentary on dysfunctional abnormalities of the urinary tract. *Symposium on Pediatric Urology*, 1980. 7(2), 357-359.
4. Allen, T. D. The non-neurogenic neurogenic bladder. *J Urol* 1977;117, 232-238.
5. Allen, T. D. & Bright, T. C. Urodynamic patterns in children with dysfunctional voiding problems. *J Urol* 1978; 119, 247-249.
6. Austin, P., Bauer, S.B., Bower, W., et al. The standardization of terminology of lower urinary tract function in children and adolescence: update report from the

- standardization committee of the international children's continence society. *J Urol* (2014) 191.
7. Berry, A. Urol Nurs. Helping children with dysfunctional voiding. Society of Urologic Nurses and Associates 2005; 25(3):193-201.
 8. Bloom, D.A., Seeley, W.W., Ritchey, M.L., & McGuire, E.J. Toilet habits and continence in children: An opportunity sampling normal parameters. *J Urol* 1993; 149, 1087-1090.
 9. Chase J, Austin P, Hoebeke P, McKenna P. The management of dysfunctional voiding in children: a report from the standardisation committee of the international children's continence society. 2010; *J Urol* 183:1296-1302.
 10. Chung KL, Chao NS, Liu CS, Tang PM, Liu KK, Leung MW. Abnormal voiding parameters in children with severe idiopathic constipation. *Pediatr Surg Int*. 2014 Jul;30(7):747-9.
 11. DePaepe H., Renson C., Hoebeke P., et al: The role of pelvic- floor therapy in the treatment of lower urinary tract dysfunctions in children. *Scan J of Urol and Neph* 2002; 36: 260-7.
 12. Dohil R, Roberts,E, Jones KV et al: Constipation and reversible urinary tract abnormalities. *Arch Dis Child* 1994; 70:56.
 13. Dwyer ME, Vandersteen DR, Hollatz P, Reinberg YE. Sacral Neuromodulation for the Dysfunctional Elimination Syndrome: A 10-Year Single-center Experience With 105 Consecutive Children. *Urology*. 2014 Aug 2. pii: S0090-4295(14)00549-4.
 14. Eldridge, M., Gerson, A. Real kids, real problems, realistic treatment options. Dysfunctional elimination syndrome in pediatric populations. *Family Urology* 2004;9-1. 11-13.
 15. Farat W, Bägli D, Capolicchio G et al: The dysfunctional voiding scoring system : quantitative standardization of dysfunctional voiding symptoms in children. *J Urol* 2000; 164: 1011
 16. Hellerstein, S., Linebarger, JS. Voiding dysfunction in pediatric patients. *Clinical Pediatrics*. 2003;Jan-Feb;(42)1:43-9.
 17. Hinman, F. Nonneurogenic neurogenic bladder (the Hinman Syndrome)-15 years later. *J Urol* 1986;136, 769-777.
 18. Klijn AJ, Bochove-Overgaauw D, Winkler-Seinstra PL, Dik P, de Jong TP. Urethral meatus deformities in girls as a factor in dysfunctional voiding. *Neurourol Urodyn*. 2012 Sep;31(7):1161-4.
 19. Kuhn S, Natale N, Siemer S, Stöcke M, von Gontard A: Clinical differences in subtypes of daytime wetting - urge incontinence and voiding postponement. *Journal of Urology*, 2009
 20. Loening-Baucke V: Urinary incontinence and urinary tract infection and their resolution with treatment of chronic constipation of childhood. *Pediatrics* 1997; 100:228
 21. Peters KM, Killinger KA , Ibrahim IA. Childhood symptoms and events in women with interstitial cystitis/painful bladder syndrome. *Urology*. 2009. Feb73(2);256-62.
 22. Vricella GJ, Campigotto M, Coplen DE, Traxel EJ, Austin PF. Long-term efficacy and durability of botulinum-A toxin for refractory dysfunctional voiding in children. *J Urol*. 2014 May;191(5 Suppl):1586-91.

Psychological Considerations

1. Allen, T. D. & Bright, T. C. Urodynamic patterns in children with dysfunctional voiding problems. *J Urol* 1978; 119, 247-249.
2. Butler, R., Heron, J., Alspac Study Team. Exploring the differences between mono- and polysymptomatic nocturnal enuresis. *Scandinavian Journal of Urology and Nephrology* 2006;40, 313-319,
3. Crimmins, CR., Rathbun, SR., Husmann, DA. Management of urinary Incontinence and nocturnal enuresis in attention-deficit hyperactivity disorder. *J Urol* 2003;Oct;170(4 Pt 1):1347-50.
4. Joinson, C., Heron, J., von Gontard, A. and the ALSPAC study team: Psychological problems in children with daytime wetting. *Pediatrics* 2006a; 118, 1985-1993,
5. Joinson, C., Heron, J., Butler, U., von Gontard, A. and the ALSPAC study team: Psychological differences between children with and without soiling problems. *Pediatrics* 2006b; 117, 1575-1584.
6. Joinson, C., Heron, J., von Gontard, A., Butler, R., Golding, J., Emond, A.: Early childhood risk factors associated with daytime wetting and soiling in school-age children. *Journal of Pediatric Psychology* 2008; e-published.
7. Kodman-Jones, C., Hawkins, L., Schulman, SL. Behavioral characteristics of children with daytime wetting. *J Urol* 2001;Dec(6):2392-5.
8. Lettgen, B, von Gontard, A., Olbing, H., Heiken-Loweenau, C., Gaebel, E., Schmitz, I. Urge incontinence and voiding postponement in children: Somatic and psychosocial factors. *Acta Paediatrics* 2002; 91(9):978-84. Discussion 895-6.
9. Neveus, T., Gontard, A., Hoebeke, P. et al. The standardization of terminology or lower urinary tract function in children and adolescents: Report from the international children's continence society (ICCS). *Neurology and Urodynamics* 2007;26:90-102.
10. Niemczyk J, Equit M, Braun-Bither K, Klein AM, von Gontard A. Prevalence of incontinence, attention deficit/hyperactivity disorder and oppositional defiant disorder in preschool children. *Eur Child Adolesc Psychiatry*. 2014 Oct 21.
11. Rushton, H. G. Wetting and functional voiding disorders. *Urologic Clinics of North America*, 1995; 22(1), 75-93.
12. Sureshkumar, P., Craig, JC., Roy, LM., Knight, JF. A reproducible pediatric daytime urinary incontinence questionnaire. *J Urol* 2001;Feb;165(2):569-73.
13. Thibodeau, B.A., Metcalfe, P., Koop, P., Moore, K. Urinary incontinence and quality of life in children. *J Ped Urol* (2013) 9, 78-83
14. von Gontard, A. Does psychological stress affect LUT function in children?: ICI-RS 2011. *J Neuro and Urodynamics* 2012; 31:344-348.
15. von Gontard A, Baeyens D, Van Hoecke E, Warzak WJ, Bachmann C. Psychological and psychiatric issues in urinary and fecal incontinence. *J Urol*. 2011
16. von Gontard, A., Neveus, T.: Management of disorders of bladder and bowel control in childhood. London, MacKeith Press, 2006
17. von Gontard, A.; Plück, J.; Berner, W.; Lehmkuhl, G.: Clinical behavioral problems in day and night wetting children, *Pediatric Nephrology*, 1999;13, 662-667.
18. von Gontard A, Niemczyk J, Weber M, Equit M. Specific behavioral comorbidity in a large sample of children with functional incontinence: Report of 1,001 cases. *Neurourol Urodyn*. 2014 Aug 11.

19. Zink, S., Freitag, C.M., von Gontard, A.: Behavioral comorbidity differs in subtypes of enuresis and urinary incontinence. *Journal of Urology* 179, 295-298, 2008

Constipation

1. Alenezi H, Alhazmi H, Trbay M, Khattab A, Neel KF. Peristeen anal irrigation as a substitute for the MACE procedure in children who are in need of reconstructive bladder surgery. *Can Urol Assoc J*. 2014 Jan-Feb;8(1-2):E12-5.
2. Bekkali N-L-H., van der Berg M-M., Dijkgraaf MGW., et al: Rectal fecal impaction treatment in childhood constipation: enemas versus high doses of PEG. *Pediatrics* 2009; 124 e1108-15.
3. Benninga M., Voskuil W., Taminiau J.: Childhood constipation: is there a light at the end of the tunnel? *Journal of pediatric gastroenterology and nutrition* 2004; 39: 448-64
4. Borowitz SM¹, Cox DJ, Kovatchev B, Ritterband LM, Sheen J, Sutphen J. Treatment of childhood constipation by primary care physicians: efficacy and predictors of outcome. *Pediatrics* 2005 Apr;115(4):873-7.
5. Burgers R, Levin AD, Di Lorenzo C, Dijkgraaf MG, Benninga MA. Functional defecation disorders in children: Comparing the Rome II with the Rome III Criteria. *J Pediatr*. 2012.
6. Burgers RE, Mugie SM, Chase J, Cooper CS, von Gontard A, Rittig CS, Homsy Y, Bauer SB, Benninga MA. Management of functional constipation in children with lower urinary tract symptoms: report from the Standardization Committee of the International Children's Continence Society. *J Urol*. 2013 Jul;190(1):29-36.
7. Bekkali N-L-H., van der Berg M-M., Dijkgraaf MGW., et al: Rectal fecal impaction treatment in childhood constipation: enemas versus high doses of PEG. *Pediatrics* 2009; 124 e1108-15.
8. Brazzelli M and Griffiths P: Behavioural and cognitive interventions with or without other treatments for the management of fecal incontinence in children. *Cochrane database of systematic reviews (online)* 2006: CD002240.
9. Cain M. (2005) Reconstruction for urinary and fecal incontinence in the pediatric patient: what we can accomplish today and a look to the future. *Medscape urology*. 2005;6(1)
10. Candy DC, Edwards D, Geraint M. Treatment of faecal impaction with polyethylene glycol plus electrolytes (PGE + E) followed by a double-blind comparison of PEG + E versus lactulose as maintenance therapy. *J Pediatr Gastroenterol Nutr*. 2006 Jul;43(1):65-70.
11. Chase JW, Stillman BC, Gibb SM, Clarke MCC, Robertson VJ, Catto-Smith AG, Huston JM, Southwell BR. Trunk strength and mobility changes in children with slow transit constipation. *J Gastroenterol Hepatol*. 2009;24:1876-1884.
12. Chung KL, Chao NS, Liu CS, Tang PM, Liu KK, Leung MW. Abnormal voiding parameters in children with severe idiopathic constipation. *Pediatr Surg Int*. 2014 Jul;30(7):747-9.
13. Clarke MC, Catto-Smith AG, King SK, Dinning PG, Cook IJ, Chase JW, Gibb SM, Robertson VJ, Di Simpson, Hutson JM, Southwell BR. Transabdominal electrical stimulation increases colonic propagating pressure waves in paediatric slow transit constipation. 2012 *J Pediatr Surg*. Dec;47(12):2279-84.
14. Dohil R, Roberts E, Jones KV et al: Constipation and reversible urinary tract abnormalities. *Arch Dis Child* 1994; 70:56.

15. Gijsbers CF, Kneepkens CM, Vergouwe Y, Büller HA. Occult constipation: faecal retention as a cause of recurrent abdominal pain in children. *Eur J Pediatr*. 2014 Jun;173(6):781-5.
16. Griffin, G., Roberts, SD., Graham, G. How to resolve stool retention in a child. Underwear soiling is not a behavior problem. 1999 Jan;105(1)159-61, 165-6, 172-3.
17. Leong LC, Yik YI, Catto-Smith AG, Robertson VJ, Hutson JM, Southwell BR. *J Pediatr Surg*. 2011;46(12):2309-12.
18. Nelson JD, Cooper CS, Boyt MA, Hawtrey CE, Austin JC. Improved uroflow parameters and post-void residual following biofeedback therapy in pediatric patients with dysfunctional voiding does not correspond to outcome. *J Urol*. 2004 Oct;172(4 Pt 2):1653-6; discussion 1656.
19. Nolan, T., Debelle, G., Oberklaid, F., & Coffey, C. (1991). Randomized trial of laxatives in treatment of childhood encopresis. *The Lancet*, 338(8766), 523-525.
20. Palit S., Lunniss P., Scott M., *The Physiology of Human Defecation*. *Dig Dis Sci* (2012) 57:1445–1464
21. Pappo, I., Meyer, S., Winter, S., & Nissan S. Treatment of faecal incontinence in children with spina bifida by biofeedback and behavioral modification. *Surgery in Infancy and Childhood* 1988;3(43), 6-37.
22. Reddy, PP., Redman, JF. The management of childhood voiding dysfunction. *J Ark Med Soc*. Mar.2003;99(9):295-8.
23. [Siegel](#), J.D., [Di Palma](#) J.A., Medical Treatment of Constipation. *Clin Colon Rectal*
24. Suares NC. and Frod AC: Systematic review: the effects of fibre in the management of chronic idiopathic constipation. *Alimentary pharmacology & therapeutics* 2011; 33:895-901.
25. van der Plas RN., Benninga MA., Taminiau JA., et al. Treatment of defecation problems in children: the role of education, demystification, and toilet training. *European journal of pediatrics* 1997; 156:689-92.
26. van Dijk M, Bongers ME, de Vries GJ, Grootenhuis MA, Last BF, Benninga MA. Behavioral therapy for childhood constipation: a randomized, controlled trial. *Pediatrics* 2008 May;121(5):e1334-41.
27. Veiga ML, Lordêlo P, Farias T, Barroso C, Bonfim J, Barroso U Jr. Constipation in children with isolated overactive bladders. *J Pediatr Urol*. 2013 Dec;9(6 Pt A):945-9.
28. Wagener S, Shankar KR, Turnock RR, Lamont GL, Baillie CT. Colonic transit time--what is normal? *J Pediatr Surg*. 2004 Feb;39(2):166-9; discussion 166-9.
29. Wennergren, H. M., Oberg, B. E., & Sandstedt, P. The importance of leg support for relaxation of the pelvic floor muscles. *Scandinavian Journal of Urology* 1991;25, 205-213.
30. Youssef NN, Langseder AL, Verga BJ, Mones, RL, Rosh JR. Chronic childhood constipation is associated with impaired quality of life: a case-controlled study. *J Pediatr Gastroenterol Nutr*. 2005 Jul;41(1):56-60.

Vesicoureteral Reflux (VUR)

1. Allen, T. D. Commentary on dysfunctional abnormalities of the urinary tract. Symposium on Pediatric Urology, 1980. 7(2), 357-359.
2. Allen, T. D. The non-neurogenic neurogenic bladder. *J Urol* 1977;117, 232-238.

3. American Urological Association. Caring for children with primary vesicoureteral reflux. p. 1-9. 1997.
4. Bakshandeh, K., Lynne, C., & Carrion, H. Vesicoureteral reflux and end stage renal disease. *J Urol* 1976;116, 557-558.
5. Goldraich, N. P., & Goldraich, I. H. Follow-up of conservatively treated children with high and low grade vesicoureteral reflux: A prospective study. *J Urol* (1992;148, 1688-1692.
6. Hinman, F. Nonneurogenic neurogenic bladder (the Hinman Syndrome)-15 years later. *J Urol* 1986;136, 769-777.
7. IRSC: Medical versus surgical treatment of primary vesicoureteral reflux: report of the International Reflux Study Committee. *Pediatrics*. 1981;67(3):392
8. Lancet. (1992). Vesicoureteric reflux and nephropathy. (Editorial) Williams & Wilkins. Available: Health Reference
9. McLorie, G; Herrin JT Presentation, diagnosis, and clinical course of vesicoureteral reflux. Literature review current through: Nov 2013. | This topic last updated: Aug 19, 2013. www.uptodate.com
10. Rushton, H. G. Wetting and functional voiding disorders. *Urologic Clinics of North America*, 1995; 22(1), 75-93.
11. Skoog SJ, Peters CA, Arant BS Jr, Copp HL, Elder JS, Hudson RG, Khoury AE, Lorenzo AJ, Pohl HG, Shapiro E, Snodgrass WT, Diaz M. Pediatric Vesicoureteral Reflux Guidelines Panel Summary Report: Clinical Practice Guidelines for Screening Siblings of Children With Vesicoureteral Reflux and Neonates/Infants With Prenatal Hydronephrosis. *J Urol*. 2010;184(3):1145
12. Smellie, J. M., Poulton, A., & Prescod, N. P. Retrospective study of children with renal scarring associated with reflux and urinary infection. *British Medical Journal* 1994;308(6938), 1193-1194.

Enuresis

1. Austin, P., Bauer, S.B., Bower, W., et al. The standardization of terminology of lower urinary tract function in children and adolescence: update report from the standardization committee of the international children's continence society. *J Urol* (2014) 191.
2. Bloom, D.A., Seeley, W.W., Ritchey, M.L., & McGuire, E.J. Toilet habits and continence in children: An opportunity sampling normal parameters. *J Urol* 1993; 149, 1087-1090.
3. Butler, R., Heron, J, Alspac Study Team. Exploring the differences between mono- and polysymptomatic nocturnal enuresis. *Scandinavian Journal of Urology and Nephrology* 2006;40, 313-319,
4. Caldwell PH, Nankivell G, Sureshkumar P. Simple behavioural interventions for nocturnal enuresis in children *Cochrane Database Syst Rev*. 2013;7:CD003637.
5. Charalampous S, Printza N, Hashim H, Bantouraki M, Rompis V, Ioannidis E, et al. Bladder wall thickness and urodynamic correlation in children with primary nocturnal enuresis. *J Pediatr Urol*. 2012.
6. Cobussen-Boekhorst HJ, van Genugten LJ, Postma J, Feitz WF, Kortmann BB.
7. Treatment response of an outpatient training for children with enuresis in a tertiary health care setting. *J Pediatr Urol*. 2012.

8. Crimmins, CR., Rathbun, SR., Husmann, DA. Management of urinary Incontinence and nocturnal enuresis in attention-deficit hyperactivity disorder. *J Urol* 2003;Oct;170(4 Pt1):1347-50.
9. Forsythe WI, Redmond A. Enuresis and spontaneous cure rate. Study of 1129 enuretics. *Arch Dis Child.* 1974;49(4):259.
10. Glazener CM, Evans JH, Peto RE. Alarm interventions for nocturnal enuresis in children. *Cochrane Database Syst Rev.* 2005;
11. Kline, N. J., Management of primary nocturnal enuresis. *Urologic Nursing* 2001;21(2) 71-76.
12. Kovacevic L, Wolfe-Christensen C, Lu H, Toton M, Mirkovic J, Thottam PJ, Abdulhamid I, Madgy D, Lakshmanan Y. Why does adenotonsillectomy not correct enuresis in all children with sleep disordered breathing? *J Urol.* 2014 May;191(5 Suppl):1592-6.
13. Lin J, Rodrigues Masruha M, Prieto Peres MF, Cianciarullo Minett TS, deSouza Vitale MS, Amado Scerni D, et al. Nocturnal enuresis antecedent is common in adolescents with migraine. *Eur Neurol.* 2012;67(6):354-9.
14. Muellner SR. Development of urinary control in children: some aspects of the cause and the treatment of primary enuresis. *JAMA* 1960;172:1256-1261.
15. Neveus, T, Eggert P, Evans J, et al. Evaluation of the treatment for monosymptomatic enuresis: a standardisation document from the international children's continence society. *J Urol* 2010; 183: 441-447
16. Nevés T, Leissner L, Rudblad S, Bazargani F. *Acta Paediatr.* 2014 Jul 15. doi: 10.1111/apa.12749. [Epub ahead of print]Orthodontic widening of the palate may provide a cure for selected children with therapy-resistant enuresis.
17. Onol FF, Guzel R, Tahra A, Kaya C, Boylu U. Comparison of Long-Term Efficacy of Desmopressin Lyophilisate and Enuretic Alarm for Monosymptomatic Enuresis and Assessment of Predictive Factors for Success: A Randomized Prospective Trial. *J Urol.* 2014 Aug 22.
18. Ozden C, Ozdal OL, Aktas BK, Ozelci A, Altinova S, Memis A. The efficacy of the addition of short-term desmopressin to alarm therapy in the treatment of primary nocturnal enuresis. *Int Urol Nephrol.* 2008.
19. Park SJ, Park JM, Pai KS, Ha TS, Lee SD, Baek M; Korean Children's Continence and Enuresis Society. Desmopressin alone versus desmopressin and an anticholinergic in the first-line treatment of primary monosymptomatic nocturnal enuresis: a multicenter study. *Pediatr Nephrol.* 2014 Jul;29(7):1195-200.
20. Rushton HG, Belman AB, Zaontz MR, et al. The influence of functional bladder capacity and other predictors on the response to desmopressin in the management of monosymptomatic nocturnal enuresis. *J Urol* 1996; 156:651.
21. Scharf, M., Waking Up Dry – How to End Bedwetting Forever. Writers Digest Books, Cincinnati, Ohio. 1986
22. Scharf, M.B., Pravada, M.F., Jennings, S.W., Kauffman, R., & Ringel, J. Childhood Enuresis: A comprehensive treatment program. *Psychiatric Clinics of North America* 1987;10, 655-666.
23. Schmitt, BD. Nocturnal enuresis. *Pediatrics in Review* 1997;18(6), 183-190.
24. [Tuncel A](#), [Mavituna, I](#) [Nalcacioglu V](#), [Tekdogan U](#), [Uzun B](#), [Atan A](#). Long-term follow-up of enuretic alarm treatment in enuresis nocturna2008, Vol. 42, No. 5 , Pages 449-454.

25. von Gontard, A., Neveus, T.: Management of disorders of bladder and bowel control in childhood. London, MacKeith Press, 2006
26. von Gontard, A.; Plück, J.; Berner, W.; Lehmkuhl, G.: Clinical behavioral problems in day and night wetting children, *Pediatric Nephrology*, 1999;13, 662-667.
27. Van Hoeck K, Bael A, Lax H, Hirche H, Bernaerts K, Vandermaelen V, et al. Improving the cure rate of the alarm treatment in monosymptomatic nocturnal enuresis by increasing bladder capacity - a randomised controlled trial in children. *J Urol*. 2008;179(3):1122-
28. Wang, Q.W. et. al. Bed-wetting in Chinese children: Epidemiology and predictive factors. *Neurology and Urodynamics* 2007; 26:512-517.
29. Zink, S., Freitag, C.M., von Gontard, A.: Behavioural comorbidity differs in subtypes of enuresis and urinary incontinence. *Journal of Urology* 179, 295-298, 2008

Common Mediations

1. Austin, P., Bauer, S.B., Bower, W., et al. The standardization of terminology of lower urinary tract function in children and adolescence: update report from the standardization committee of the international children's continence society. *J Urol* (2014) 191.
2. Ballek N., McKenna PH, Lower urinary tract dysfunction in childhood. *Urol Clin N Amer*. 2010; 37:215-228
3. Gleason JM, Daniels C, Williams K, Varghese A, Koyle MA, Bägli DJ, Pippi Salle JL, Lorenzo AJ. Single center experience with oxybutynin transdermal system (patch) for management of symptoms related to non-neuropathic overactive bladder in children: An attractive, well tolerated alternative form of administration. *J Pediatr Urol*. 2014 Jan 17. pii: S1477-5131(14)00020-5.
4. Neveus, T, Eggert P, Evans J, et al. Evaluation of the treatment for monosymptomatic enuresis: a standardisation document from the international children's continence society. *J Urol* 2010; 183: 441-447
5. Neveus, T., Gontard, A., Hoebeke, P. et al. The standardization of terminology or lower urinary tract function in children and adolescents: Report from the international children's continence society (ICCS). *Neurology and Urodynamics* 2007;26:90-102.
6. Ozden C, Ozdal OL, Aktas BK, Ozelci A, Altinova S, Memis A. The efficacy of the addition of short-term desmopressin to alarm therapy in the treatment of primary nocturnal enuresis. *Int Urol Nephrol*. 2008.

Evaluation and Treatment

1. Bo, K., Kvarstein, B., Hagen, R., Larsen, S. Pelvic floor muscle exercise for the treatment of female stress urinary incontinence: Reliability of vaginal pressure measurements of pelvic floor muscle strength. *Neurology and Urodynamics*, 1990;9, 471-477.
2. Bo, K., & Stien, R. Needle EMG registration of striated urethral wall and pelvic floor muscle activity patterns during cough, valsalva, abdominal, hip adductor, and gluteal muscle contractions in nulliparous healthy females. *Neurology and Urodynamics* 1994; 13, 35-41.

3. Bower WF, Chase JW, Stillman BC: Normative pelvic floor parameters assessed by Transabdominal ultrasound. *J Urol* 2006; 176:337.
4. Burgio, K. L., Engle, B. T., Quilter, R. E., & Arena, V. C. The relationship between external anal and external urethral sphincter activity in continent women. *Neurourology and Urodynamics* 1991; 10, 555-562.
5. Burgio, K. L., Robinson, J. C., & Engel, B. T. The role of biofeedback in Kegel exercise training for stress urinary incontinence. *American Journal of Obstetrics and Gynecology* 1986;154(1), 58-64.
6. Cain M. (2005) Reconstruction for urinary and fecal incontinence in the pediatric patient: what we can accomplish today and a look to the future. *Medscape urology*. 2005;6(1)
7. Chase JW, Stillman BC, Gibb SM, Clarke MCC, Robertson VJ, Catto-Smith AG, Hustson JM, Southwell BR. Trunk strength and mobility changes in children with slow transit constipation. *J Gastroenterol Hepatol*. 2009;24:1876-1884.
8. DePaepe H., Renson C., Hoebeke P., et al: The role of pelvic- floor therapy in the treatment of lower urinary tract dysfunctions in children. *Scan J of Urol and Neph* 2002; 36: 260-7.
9. Franco, I. Functional bladder problems in children. *Pediatric Clin N Amer*. 2012;59:783-817.
10. Glazer, H., MacConkey-Sandalcidi, D. Functional rehabilitation of the pelvic floor muscles: A challenge to tradition. *Urologic Nursing*, 1996;16, 68-69.
11. Hoebeke, P, Renson C., De Schryver M. et al: Prospective evaluation of clinical voiding re-education or voiding school for lower urinary tract conditions in children. *J of Urol* 2011; 186: 648-654.
12. Hanson, E., Hellstrom, A. L., & Hjalmas, K. Non-neurogenic discoordinated voiding in children. The long-term effect of bladder retraining. *Surgery in Infancy and Childhood*, (1987; 42, 109-111.
13. Kajbafzadeh AM, Sharifi-Rad L, Seyedian SS, Mozafarpour S, Paydary K. Generalized joint hypermobility and voiding dysfunction in children: is there any relationship? *Eur J Pediatr*. 2014 Feb;173(2):197-201.
14. Kass-Wolff, J and Wislon, E. Pediatric gynecology: assessment strategies and common problems. *Semin Reprod Med* 2003;21(4):329-338, 2003.
15. Kegel. A. H. The physiologic treatment of poor tone and function of the genital muscles and of urinary stress incontinence. *Western Journal of Surgical Obstetrics and Gynecology*, 1949;57, 527.
16. Millard, R.J. and Oldenburg, B.F.: The symptomatic, Urodynamic and psychodynamic results of bladder re-education programs. *J. Urol* 1983;130:715.
17. Sapsford R, Hodges P.; Contraction of the pelvic floor muscles during abdominal maneuvers. *Arch Phys Rehabil* 2001; 82: 1081
18. Sapsford R, Hodges P, Richardson C, Cooper D, Markwell S, Jull G. Co-activation of the abdominal and pelvic floor muscles during voluntary exercises. *Neurology and Urodynamics*. 2001; 20: 31-42
19. Wennergren, H. M., Oberg, B. E., & Sandstedt, P. The importance of leg support for relaxation of the pelvic floor muscles. *Scandinavian Journal of Urology* 1991;25, 205-213.
20. Wennergren, H., & Oberg, B. Pelvic floor exercises for children: a method of treating dysfunctional voiding. *British Journal of Urology* 1995;76, 9-15.

21. Whitehead, W. E., Parker, L., Bosmajian, L., Morrill-Corbin, E.D., Middaugh, S., Garwood, M., Cataldo, M. F., & Freeman, J. Treatment of fecal incontinence in children with spina bifida: comparison of biofeedback and behavior modification. *Archive of Physical and Medical Rehabilitation* 1986;67, 218-224.

BOOKS FOR PRACTITIONERS

Bennett, Howard J. Waking Up Dry: A guide to help children overcome bedwetting ©2005 American Academy of Pediatrics.

Benson, J.T., Female Pelvic Floor Disorders; Investigation and Management. © 1992. Norton Medical Books, New York, London

Hodges, Steve J. It's No Accident-Breakthrough solutions for your child's wetting, constipation, UTI's and other potty problems. © 2012. Lyons Press, Guilford, Connecticut.

BOOKS FOR FAMILIES

Boelts, M., Dry days, Wet Nights

Mills, J., Crowley, R., Sammy the Elephant & Mr. Camel; a story to help children overcome bedwetting while discovering self-appreciation. ©2000 Magination Press, Washington, DC

Mack, A., Dry All Night. ©1989 Little, Brown and Company, Boston, New York, Toronto, London.

Willis, J., Jossen, P., Do Little Mermaids wet the bed?

Sears, W., Sears, M., You can go to the potty